

Product Data Sheet

Power Terminals pitch 5.08 x 10.16 mm,
Part No. 911-33049





Illustration similar



Press-fit



Power



Rugged

- M4 thread
- tail length 5 mm



» to product on www.ept.de



» to product group Power Terminals

Product Data Sheet

Power Terminals pitch 5.08 x 10.16 mm,
Part No. 911-33049



Technical Specifications

Basics

Termination Technology	press-fit technology
Termination Length	5 mm
Operating Temperature Range	-55°C to +125°C

Material

Contact Material	copper alloy
Plating	Sn

Mechanical

Pitch	5.08 x 10.16 mm
-------	-----------------

Electrical

Operational Current	20° 45', 70° 30', 100° 25'
---------------------	----------------------------

Processing

Thread	M4
Max. Fastening Torque	1.3 Nm

Approval / Compliance

Environment	RoHS compliant
-------------	----------------


Product Data Sheet

Power Terminals pitch 5.08 x 10.16 mm,
Part No. 911-33049



Hole Specifications

Plated through-hole according to IEC 60352-5



Material	chem. Sn Leiterplatten
Nominal Hole	Ø 1.45 mm
A PCB Thickness	min. 2.9 mm
B Plated Hole	Ø 1.45 +0.09 / -0.06 mm
C Drill Hole	1.60 ±0.025 mm
D Cu Plating	min. 25 µm
E Surface	chem. Sn Schicht, max. 1.5 µm
F Annular Ring	min. 0.1 mm

Material	Ni, Au Leiterplatten
Nominal Hole	Ø 1.45 mm
A PCB Thickness	min. 2.9 mm
B Plated Hole	Ø 1.45 +0.09 / -0.06 mm
C Drill Hole	1.60 ±0.025 mm
D Cu Plating	min. 25 µm
E Surface	Ni, Au Schicht, 0.05 - 0.2 µm Au über 2.5 - 5 µm Ni
F Annular Ring	min. 0.1 mm

Material	HAL Sn Leiterplatten
Nominal Hole	Ø 1.45 mm
A PCB Thickness	min. 2.9 mm
B Plated Hole	Ø 1.45 +0.09 / -0.06 mm
C Drill Hole	1.60 ±0.025 mm
D Cu Plating	min. 25 µm
E Surface	HAL Sn, 5 - 15 µm
F Annular Ring	min. 0.1 mm

Product Data Sheet

**Power Terminals pitch 5.08 x 10.16 mm,
Part No. 911-33049**



Accessories

- » Power Terminals Cylinder Head Screw DIN 84, M4
Part Number 910-20145
- » Power Terminals Phillips-head screw
Part Number 910-20146
- » Power Terminals Washer
Part Number 910-20320

Drawings

Component data for this product you can request through sales@ept.de